

LARGE FORMAT PRINTERS

SURECOLOR™ SC-T3130N/T3430/T5130/T5430

EPSON
EXCEED YOUR VISION

FAST AND ACCURATE, DOWN TO THE FINEST DETAILS.



Official Team Partner



Great performance packed into a compact size, the Epson T series printers are engineered to enhance work processes. With their ability to print accurate line placements, they are the ideal printing solution for blueprints, line drawings, graphics and posters. With the built-in wireless connectivity, print jobs can be sent effortlessly from smart devices. The T series is built to ensure fast printing speeds while delivering accuracy in every print. Share your vision and ideas clearly in your prints because the details, matter.









SC-T3130N

SC-T3430

SC-T5130

SC-T5430

- 
Up to 36" Wide¹
- 
Wi-Fi
- 
Wi-Fi Direct
- 
Epson Genuine Inks
- 
Water-resistant
- 
PC-free USB Memory²



IT'S IN THE DETAILS.

With Epson UltraChrome™ ink, the SureColor T-series printers redefine consistent, quality printing.

Compact, User-Friendly Design

Small footprint with ergonomic design and convenient features bring greater efficiency and smoother workflow.

Trusted Productivity

Print from anywhere in the office with the built-in wireless connectivity. Advanced PrecisionCore™ printhead ensures superior reliability.

Outstanding Speed & Quality

Print A1 in just 22 seconds³. The all-pigment UltraChrome XD2 ink ensures durable printouts.



¹Up to 36" for SC-T5130/T5430 and up to 24" for SC-T3130N/T3430. ²Supported only on SC-T3430 and T5430. ³Print speed is based on the SC-T5430.

LARGE FORMAT PRINTERS
SURECOLOR™ SC-T3130N/T3430/T5130/T5430

Introducing the new Epson SureColor T series printers that are able to meet a variety of printing needs with an eye on details. With all core technologies developed by Epson, such as the PrecisionCore printheads and the UltraChrome XD2 ink, expect reliable performance and exceptional quality that works perfectly with your business.



Compact, User-Friendly Design

Small Footprint

The T series printers fit in tight work spaces effortlessly with a compact design. At just 970 x 505 x 230 mm without the stand, the SC-T3130N has one of the smallest footprints in its class.



Ideal For Corners

As the printers are built for a full-front operation, they can be placed ideally in any corner of the office, without taking up too much space.



User Convenience In Mind

Designed with the user in mind, the printer will print and cut printouts without dropping it from the printer, until it is ready to be collected.



Ergonomically Design

Designed with the user in mind, the T-series printers' smart design can cater to users of different heights to help make it comfortable for them to load the media as well as operate the printers.



Auto Switch Function*

As the T-series printers takes into account smaller sized offices, it is developed to allow loading of a range of paper sizes. The Auto Switch function enables a seamless switch between roll paper and cut sheet paper, reducing the need for a second printer for additional A3 or A4 printing.

*Supported only on SC-T3130N/T5130



Trusted Productivity

Wireless Connectivity

The T-series is integrated with Wi-Fi and Wi-Fi Direct, making it convenient to print right from smart devices from anywhere in the office. The Wi-Fi Direct function acts as an access point, allowing devices to connect directly to the printer without a router. Additionally, the T-series printers come equipped to allow direct wireless printing from any Apple devices through Apple AirPrint™, without the need for any additional drivers.



LARGE FORMAT PRINTERS

SURECOLOR™ SC-T3130N/T3430/T5130/T5430

Control At Your Fingertips

A 4.3-inch touch panel on the T series gives you the convenience of an easy setup and a PC-less operation that just makes things extra efficient.



Preview Before Printing


Save time and money when you preview your documents before printing, preventing accidental misprints that could otherwise lead to wastage.



Seamless Scan To Print


Scan and enlarge your printouts in just four easy steps without needing to connect to a computer. Using compatible Epson scanners*, you can seamlessly scan and print directly from the T series printers.

*Recommended scanners: WorkForce DS-530, DS-6500, DS-60000.



Precision Printhead Technology



The T series comes equipped with the next-generation PrecisionCore printhead technology, enabling superior print speed, quality and reliability. PrecisionCore technology utilises piezo elements to mechanically eject the ink. This heatless technology prolongs printhead longevity, providing reliable long-term operation.



The PrecisionCore technology, as well as Variable Size Dot Technology, allow the ink droplets to be controlled to the finesse of 3.5 picolitres.

Nozzle Verification Technology

Print without interruptions with the advanced built-in Nozzle Verification Technology (NVT). This technology monitors nozzle health and adjusts print quality automatically without interruption, even during printing.



The piezo element (sensor) detects the residual vibration (pressure change) in the ink chamber and diagnoses the nozzle condition.

If a clogged nozzle is indicated by an irregular vibration pattern, the printer automatically adjusts the print quality.




Without adjustment



With adjustment

Anti-dust Design

Incorporating a unique anti-dust design, the T series printers require minimal cleaning and maintenance that are required for environments that are traditionally dusty, such as, construction sites.



Outstanding Speed & Quality

Impressive Print Speeds


The PrecisionCore printhead technology enables remarkable print speeds that help print A1 printouts in 22 seconds* – the fastest in speed among all Epson T series printers.

*Print speed is based on the SC-T5430.



Unsurpassable Quality

With an improved formulation that works especially well with plain paper and special media such as tracing paper, the UltraChrome XD2 delivers accurate and sharp line printing that is suitable for vector images or luster data. The all-pigment ink achieves less bleed-through and is better at withstanding the harsh weather conditions compared to dye-inks. Additionally, the T3430 and T5430 printers support borderless printing.



Dye

Pigment

Security & Workflow Management










The T series printers support the following security standards:

- IEEE802.1X: LAN Standard
- SNMPv3: Network Device Management
- Encryption Standard: TLS/SSL, HTTPs, IPsec

Furthermore, the printers enable a smoother workflow management for multiple printers with the use of these software:

- Epson Edge Dashboard
- EpsonNet Setup Manager
- Epson Device Admin

Applications

| Small Enterprise | Medium Enterprise | Large Enterprise | |
|---|--|--|--|
| <p>Small Office / Home Office</p>  <ul style="list-style-type: none"> • Home Poster • Cut Art Papers • Photo Printing • Sewing Pattern | <p>Architectures / Advertising Agencies / Interior Designs</p>  <ul style="list-style-type: none"> • Architecture Drawings • Business Proposals • Advertisements • Interior 3D Drawings | <p>Geographic Information System (GIS)</p>  <ul style="list-style-type: none"> • Building Info Modeling • Patent Drawings • GIS Maps • Blueprints | <p>CAD</p> <div style="display: flex;"> <div style="flex: 1;"> <p>Construction</p>  <ul style="list-style-type: none"> • Technical Working Drawings • Site Drawings • Scaffolding Covers </div> <div style="flex: 1;"> <p>Engineering</p>  <ul style="list-style-type: none"> • CAD Drafting • CAD Sketching </div> </div> |
| <p>Education</p>  <ul style="list-style-type: none"> • Education Materials • Brochures • Alphabetical Posters • Rewards Chart | <p>Retails / Hotels / Bookstores</p>  <ul style="list-style-type: none"> • Point Of Sales Posters • Wobblers • Brochures | <p>F&B</p>  <ul style="list-style-type: none"> • Point Of Sales Posters • Wobblers • Brochures • Notice | <p>Print Service Providers</p>  <ul style="list-style-type: none"> • Posters • Art Pieces • Brochures • Photo Prints |

LARGE FORMAT PRINTERS SURECOLOR™ SC-T3130N/T3430/T5130/T5430

Convenience & Accessibility

Featuring front access for all your operations, you can easily place the T series printers up against a wall and in a corner, keeping your space free for other things. Printouts, ink changes, and paper replacements can all be easily accessed from the front, to enable greater convenience.



PARTNERS IN PERFECTION



WorkForce DS-530



WorkForce DS-6500



WorkForce DS-60000

Scan and enlarge your printouts effortlessly with Epson scanners. The SureColor T series is compatible with the Epson WorkForce DS-530, DS-6500 and DS-60000 scanners. Simply connect the scanner to the printer and you can enlarge the printout.

SPECIFICATIONS

SURECOLOR™ SC-T3130N/T3430/T5130/T5430


EPSON
EXCEED YOUR VISION

| | | |
|--|--|---|
| Model Name | SC-T3130N | SC-T3430 |
| Printer Width | 24" | |
| Print Technology | PrecisionCore TFP® Printhead 1.3" | |
| Printhead | PrecisionCore TFP® Printhead 1.3" | |
| Nozzle Configuration | 3200 nozzles (800 nozzles x 4 channels x 1 head) | |
| Maximum Resolution | 2400 x 1200 dpi | |
| Minimum Ink Droplet Volume | 4.0 pl | |
| Print Speed | 34 sec 25 sec | |
| CAD (A1) | 34 sec | 25 sec |
| Ink System | Epson UltraChrome XD2 Pigment Ink | |
| Ink Type | 4 colours - Cyan, Magenta, Yellow, Black | |
| Colours | 4 colours - Cyan, Magenta, Yellow, Black | |
| Ink Capacity | Black: 50ml, 80ml Cyan, Magenta, Yellow: 26 ml, 50 ml | Cyan, Magenta, Yellow and Black: 110 ml Cyan, Magenta, Yellow and Black: 350 ml |
| Paper Handling | Epson UltraChrome XD2 Pigment Ink | |
| Maximum Roll Diameter/Weight | 2" core, Max. 110 mm/3 kg | 2/3" Core, Max. 170 mm/8 kg |
| Paper Width | Roll: 329 mm to 610 mm Cutsheet (ASF): A4 to A3 Cutsheet (1 sheet): 210 mm to 610 mm | Roll: 254 mm to 610 mm Cutsheet: 210 mm to 610 mm |
| Media Type | Inkjet Coated Paper, Tracing Paper, Plain Paper | |
| Side Margin | 3 mm | |
| Media Thickness | Roll: 0.05 mm to 0.21 mm ASF/Cutsheet: 0.12 mm to 0.27 mm | Up to 0.3 mm |
| Borderless Print | N/A | Yes |
| Auto-Sheet Feeder | Yes (Up to A3) | N/A |
| Control Panel | 4.3" Touch Screen | |
| Connectivity | USB/LAN/WiFi | |
| I/F | USB/LAN/WiFi | |
| USB Direct | N/A | Yes |
| Printer Interfaces | Super-Speed USB*, 100BASE-TX / 1000BASE-T / IEEE802.11b/g/n | Super-Speed USB, 100BASE-TX / 1000BASE-T, IEEE802.11b/g/n, USB Host |
| Printer Languages | ESC/P rasterHP-GL/2, HP RTL | ESC/P, HPGL 2, RTL |
| Scanner Integration | Supports Epson Document Scanner | |
| Advanced Printer Driver | Crop/Rotate/Enlarge Tools | |
| Memory | 1GB | |
| Software (Bundled in CD) | Windows Install Navi - Printer driver - EpsonNet Setup - EpsonNet Print - EpsonNet Config - Epson Software Updater - LFP Print Plug-in for Office - Epson manuals Mac Setup Navi | |
| Printer Management | N/A | Epson Edge Dashboard Accounting Tool |
| Power and Operating Requirements | AC 100-240 V Frequency: 50/60 Hz | |
| Power Requirements | AC 100-240 V Frequency: 50/60 Hz | |
| Power Consumption | Operating: Approx. 28 W; Ready: Approx. 8 W; Sleep: Approx. 1.6 W; Power Off: Approx 0.2 W | Operating: Approx. 34 W; Ready: Approx. 1.3 W; Sleep: Approx. 1.3 W; Power Off: Approx 0.25 W |
| Recommended Operating Temperature & Humidity | Operating: 20 to 80% (no condensation), Storage: 5 to 85% (no condensation) | |
| Printer Dimensions | 970 x 505 x 230 (WxDxH) | |
| Dimensions | 970 x 505 x 230 (WxDxH) | 1080 x 750 x 1060 (WxDxH) |
| Weight | 27 kg (without ink cartridges) | 64 kg (without ink) |
| What's in the box | Printer, Printer stand, Initial ink cartridge, AC power cable, setup guide, software CD-ROM, Maintenance box and Roll Spindle | |
| Options | Stand (24") Roll Feed Spindle (24") | Roll Feed Spindle (24") |
| Consumables | Auto Cutter Spare Blade Maintenance Box | |
| Warranty | 1-year warranty | |

Dimensions and Weight

SureColor SC-T3130N

Weight: 27 kg (without ink cartridges)



SureColor SC-T3430

Weight: 64 kg (without ink)



*Compatible with the USB 3.0 specification.

EPSON INDIA PVT. LTD.

12th Floor, The Millenia, Tower A, No.1,
Murphy Road, Ulsoor, Bangalore - 560 008.
Tel: 080-30515000 Fax: 080-30515005

Regional Offices:

Ahmedabad - 3314 8500/01, Chennai - 3967 7500, Cochin - 4012 315,
Coimbatore - 98942 19200, Hyderabad - 4857 0032, Jaipur - 78699 11699,
Kolkata - 4603 4714/15/29/30, Mumbai - 3079 8200, New Delhi - 3312 0300, Pune - 3028 6000/05

CONTACT EPSON TODAY! EMAIL: vasu@eid.epson.co.in

SOUTH Alok Singh 098405 03210, Gopala Krishna 079751 85505, Devakumar 073309 11109 **NORTH** Akhtar Imam 099101 08780,
Ashutosh Kumar 098153 94550, Sudhir Kumar 093898 35156 **EAST** Sourov Kumar 098746 72616 **WEST** Milind 098209 74733,
Pratik S Mhasawade 095619 73709.



Epson Helpline: For product info or service - 1800 425 0011
For service - 1800 123 001 600 (9AM - 6PM) (Mon - Sat)
Email: ifp@epsonindia.in

www.epson.co.in

Dealer's Stamp

SPECIFICATIONS

SURECOLOR™ SC-T3130N/T3430/T5130/T5430

EPSON
EXCEED YOUR VISION

| Model Name | SC-T5130 | SC-T5430 |
|--|--|---|
| Printer Width | 36" | |
| Print Technology | PrecisionCore TFP® Printhead 1.3" | |
| Printhead | PrecisionCore TFP® Printhead 1.3" | |
| Nozzle Configuration | 3200 nozzles (800 nozzles x 4 channels x 1 head) | |
| Maximum Resolution | 2400 x 1200 dpi | |
| Minimum Ink Droplet Volume | 4.0pl | |
| Print Speed | | |
| CAD (A1) | 31 sec | 22 sec |
| Ink System | | |
| Ink Type | Epson UltraChrome XD2 Pigment Ink | |
| Colours | 4 colours - Cyan, Magenta, Yellow, Black | |
| Ink Capacity | Black: 50 ml , 80 ml Cyan, Magenta, Yellow: 26 ml, 50 ml | Cyan, Magenta, Yellow and Black: 110 ml Cyan, Magenta, Yellow and Black: 350 ml |
| Paper Handling | | |
| Maximum Roll Diameter/Weight | 2" core, Max. 110 mm/5kg | 2/3" Core, Max. 170 mm/12kg |
| Paper Width | Roll: 329 mm to 914 mm Cutsheet(ASF): A4 to A3 Cutsheet(1 sheet): 210 mm to 910 mm | Roll: 254 mm to 914 mm Cutsheet: 210 mm to 914 mm |
| Media Type | Inkjet Coated Paper, Tracing Paper, Plain Paper | |
| Side Margin | 3 mm | |
| Media Thickness | Roll: 0.05 mm to 0.21 mm Auto Sheet Feeder/Cutsheet: 0.12 mm to 0.27 mm | Up to 0.3 mm |
| Borderless Print | N/A | Yes |
| Auto-Sheet Feeder | Yes (Up to A3) | N/A |
| Control Panel | 4.3" Touch Screen | |
| Connectivity | | |
| I/F | USB/LAN/WiFi | |
| USB Direct | N/A | Yes |
| Printer Interfaces | Super-Speed USB*, 100BASE-TX /1000BASE-T / IEEE802.11b/g/n | Super-Speed USB, 100BASE-TX / 1000BASE-T, IEEE802.11b/g/n, USB Host |
| Printer Languages | ESC/P raster HO-GL/2, HP RTL *1 | ESC/P, HPGL 2, RTL |
| Scanner Integration | Supports Epson Document Scanner | |
| Advanced Printer Driver | Crop/Rotate/Enlarge Tools | |
| Memory | 1GB | |
| Software (Bundled in CD) | Windows Install Navi - Printer driver - EpsonNet Setup - EpsonNet Print - EpsonNet Config - Epson Software Updater - LFP Print Plug-in for Office - Epson manuals Mac Setup Navi | |
| Printer Management | N/A | Epson Edge Dashboard Accounting Tool |
| Power and Operating Requirements | | |
| Power Requirements | AC 100-240 V Frequency: 50/60 Hz | |
| Power Consumption | Operating: Approx. 28 W; Ready: Approx. 8 W; Sleep: Approx. 1.6 W; Power Off: Approx 0.2 W | Operating: Approx. 38 W; Ready: Approx. 1.3 W; Sleep: Approx. 1.3 W; Power Off: Approx 0.25 W |
| Recommended Operating Temperature & Humidity | Operating: 20 to 80% (no condensation), Storage: 5 to 85% (no condensation) | |
| Printer Dimensions | | |
| Dimensions | 1268 x 696 x 913 (WxDxH) | 1385 x 966 x 1060 mm (WxDxH) |
| Weight | 46 kg (without ink) | 76 kg (without ink) |
| What's in the box | Printer, Printer stand, Initial ink cartridge, AC power cable, setup guide, software CD-ROM, Maintenance box and Roll Spindle | |
| Options | Roll Feed Spindle (36") | |
| Consumables | Auto Cutter Spare Blade Maintenance Box | |
| Warranty | 1-year warranty | |

Dimensions and Weight

SureColor SC-T5130

Weight: 46 kg (without ink cartridges)



SureColor SC-T5430

Weight: 76 kg (without ink)



*Compatible with the USB 3.0 specification.

© 2019 Epson India Pvt. Ltd. All Rights Reserved. Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited. EPSON and EXCEED YOUR VISION are registered trademarks of Seiko Epson Corporation. All other product names and other company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners. Epson disclaims any and all rights in those marks. Print samples shown are simulations only. Specifications and product availability are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.

Apple, iPad and iPhone are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc.

Dealer's Stamp

Information correct at time of printing
Printed February 2019

EPSON INDIA PVT. LTD.

12th Floor, The Millen ia, Tower A, No.1,
Murphy Road, Ulsoor, Bangalore - 560 008.
Tel: 080-30515000 Fax: 080-30515005

Regional Offices:

Ahmedabad - 3314 8500/01, Chennai - 3967 7500, Cochin - 4012 315,
Coimbatore - 98942 19200, Hyderabad - 4857 0032, Jaipur - 78699 11699,
Kolkata - 4603 4714/15/29/30, Mumbai - 3079 8200, New Delhi - 3312 0300, Pune - 3028 6000/05

CONTACT EPSON TODAY! EMAIL: vasu@eid.epson.co.in

SOUTH Alok Singh 098405 03210, Gopala Krishna 079751 85505, Devakumar 073309 11109 **NORTH** Akhtar Imam 099101 08780,
Ashutosh Kumar 098153 94550, Sudhir Kumar 093898 35156 **EAST** Sourov Kumar 098746 72616 **WEST** Milind 098209 74733,
Pratik S Mahasawade 095619 73709.



Epson Helpline: For product info or service - 1800 425 0011
For service - 1800 123 001 600 (9AM - 6PM) (Mon - Sat)
Email: ifp@epsonindia.in

www.epson.co.in

Dealer's Stamp